ELSEVIER

Precambrian Research 92 (1998) 415–430

Precambrian Research

Subject Index, Volumes 87–92 (1998)

A-type granites
Petrogenesis of late Neoproterozoic dikes in the northern Arabian–Nubian Shield, 92 (1998) 195

Absolute age
Chronostratigraphic constraints on the genesis of Archean greenstone belts, northwestern Superior Province, Ontario, Canada, 92 (1998) 277

Age distribution
Early Archean crust in the northern Wyoming province. Evidence from U–Pb ages of detrital zircons, 91 (1998) 295

Aldan shield
Archean crustal evolution of the Aldan Shield, Siberia: geochemical and isotopic constraints, 91 (1998) 333

Alkaline granite
Brasiliano crustal extension and emplacement fabrics of the mangerite–charnockite pluton of Umarizal, North-east Brazil, 87 (1998) 19

Anorogenic magmatism
Crust-forming ages and proterozoic crustal evoluton in Nigeria: a reappraisal of current interpretations, 87 (1998) 65

Anorthosite
Hornblende 40Ar/39Ar geochronology across terrane boundaries in the Sveconorwegian Province of S. Norway, 90 (1998) 159

Antarctica
The evolution of a layered metaigneous complex in the Rauer Group, East Antarctica: evidence for a distinct Archaean terrane, 89 (1998) 175

Apatite
The carbon and sulfur isotope signatures in the Precambrian–Cambrian transition series of the Yangtze Platform, 89 (1998) 77

Ar-40/Ar-39
U–Pb and Sm–Nd dating of high-pressure granulite- and upper amphibolite facies rocks from SW Sweden, 92 (1998) 319

Ar/Ar
Hornblende 40Ar/39Ar geochronology across terrane boundaries in the Sveconorwegian Province of S. Norway, 90 (1998) 159

Arabian–Nubian Shield
Petrogenesis of late Neoproterozoic dikes in the northern Arabian–Nubian Shield, 92 (1998) 195

Arc
Contrasting magmatic arcs in the Palaeoproterozoic of the south-western Baltic Shield, 92 (1998) 297

Archaeal
Tectonic settings of Archaean (3325–2775 Ma) crustal–supracrustal belts in the West Pilbara Block, 88 (1998) 173

Archaean
Fault and stratigraphic controls on volcanogenic massive sulphide deposits in the Strelley Belt, Pilbara Craton, Western Australia, 88 (1998) 67

Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean Coppin Gap greenstone belt, Eastern Pilbara, Western Australia, 88 (1998) 83

Sm–Nd, Rb–Sr and Pb–Pb dating of silicic carbonates from the early Archaean Barberton Greenstone Belt, South Africa, 92 (1998) 129

The Sholl Shear Zone, West Pilbara: evidence for a domain boundary structure from integrated tecton-ostratigraphic analyses, SHRIMP U–Pb dating and isotopic and geochemical data of granitoids, 88 (1998) 143

1998 Elsevier Science B.V.
PII S0301-9268(98)00112-0

The evolution of a layered metaigneous complex in the Rauer Group, East Antarctica: evidence for a distinct Archaean terrane, 89 (1998) 175

Archaean to Neoproterozoic magmatic events in the Kaoko belt of NW Namibia and their geodynamic significance, 92 (1998) 341

Archaean evolution
The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309

Archaean tectonics
Sinking of the Dharwar Basin (South India): implications for Archaean tectonics, 91 (1998) 15

Archaen crust
Early Archean crust in the northern Wyoming province. Evidence from U–Pb ages of detrital zircons, 91 (1998) 295

Archaen metallogeny
The Late Archaean bonanza: metallogenic and environmental consequences of the interaction between mantle plumes, lithospheric tectonics and global cyclicity, 91 (1998) 65

Archean
Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals, 87 (1998) 87

Archean crustal evolution of the West African Craton: example of the Amsaga Area (Reguibat Rise). U–Pb and Sm–Nd evidence for crustal growth and recycling, 90 (1998) 107

The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

The Mulgandinnah Shear Zone; an Archean crustal scale strike-slip zone, eastern Pilbara, Western Australia, 88 (1998) 233

Chronostratigraphic constraints on the genesis of Archean greenstone belts, northwestern Superior Province, Ontario, Canada, 92 (1998) 277

Oxygen isotope ratios of Archean plutonic zircons from granite–greenstone belts of the Superior Province: indicator of magmatic source, 92 (1998) 365

Metamorphism, denudation and sea level in the Archean and cooling of the Earth, 92 (1998) 389

Archean accretionary complex
Thermo-tectonic evolution of an Archean accretionary complex: U–Pb geochronological constraints on granulites from the Quetico Subprovince, Ontario, Canada, 92 (1998) 117

Archean crust
Crustal growth and crustal recycling in the Nagssugtoqidian orogen of West Greenland: Constraints from radiogenic isotope systematics and U–Pb zircon geochronology, 91 (1998) 365

Archean crustal evolution
Archean crustal evolution of the Aldan Shield, Siberia: geochemical and isotopic constraints, 91 (1998) 333

Archean Granitoid-Greenstone Terrain
The Cleaverville Group in the West Pilbara Coastal Granitoid-Greenstone Terrain of Western Australia: an example of a Mid-Archaean immature oceanic island-arc succession, 88 (1998) 109

Archean tectonics
Archean magmatism and deformation were not products of plate tectonics, 91 (1998) 143

Ashanti belt
Age constraints on gold mineralization and Paleoproterozoic crustal evolution in the Ashanti belt of southern Ghana, 89 (1998) 129

Australia
U–Pb zircon and Sm–Nd geochronology of the Mesoproterozoic of North Queensland: implications for a Rodinian connection with the Belt supergroup of North America, 89 (1998) 101

Ion microprobe U–Pb ages for Neoproterozoic basaltic magmatism in south-central Australia and implications for the breakup of Rodinia, 87 (1998) 135

Bacteria
Late Palaeoproterozoic (1800–1600 Ma) stromatolites, Cuddapah Basin, southern India: cyanobacterial or other bacterial microfabrics?, 92 (1998) 21

Baddeleyite
Ion microprobe U–Pb ages for Neoproterozoic basaltic magmatism in south-central Australia and implications for the breakup of Rodinia, 87 (1998) 135

Baltic Shield
Tectonic, stratigraphic, and geochemical comparisons between ca. 2500–2440 Ma mafic igneous events in the Canadian and Fennoscandian Shields, 92 (1998) 89

Age and lead isotope systematics of uranium-enriched cobalt mineralization in the Modum complex, South Norway. Implications for Precambrian crustal evolution in the SW part of the Baltic Shield, 91 (1998) 419

Barberton Greenstone Belt
Sm–Nd, Rb–Sr and Pb–Pb dating of silicic carbonates from the early Archaean Barberton Greenstone Belt, South Africa, 92 (1998) 129

Barite/chert
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 88 (1998) 25

Batholiths
Archean magmatism and deformation were not products of plate tectonics, 91 (1998) 143

Belomorian fold belt
Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

Belt Supergroup
U–Pb zircon and Sm–Nd geochronology of the Mesoproterozoic of North Queensland: implications for a Rodinian connection with the Belt supergroup of North America, 89 (1998) 101

Bimodal volcanism
Neoproterozoic bimodal volcanism in the central Ogcheon belt, Korea: age and tectonic implication, 89 (1998) 47

Bimodel volcanism
The Cleaverville Group in the West Pilbara Coastal Granitoid-Greenstone Terrain of Western Australia: an example of a Mid-Archaean immature oceanic island-arc succession, 88 (1998) 109

Biosphere evolution
The Late Archaean bonanza: metallogenic and environmental consequences of the interaction between mantle plumes, lithospheric tectonics and global cyclicity, 91 (1998) 65

Birimian
Petrogenesis of juvenile-type Birimian (Paleoproterozoic) granitoids in Central Côte-d'Ivoire, West Africa: geochemistry and geochronology, 87 (1998) 33

Brasiliano orogeny
Brasiliano crustal extension and emplacement fabrics of the mangerite–charnockite pluton of Umarizal, North-east Brazil, 87 (1998) 19

Brazil
Transamazonian Orogeny in the Southern São Francisco Craton Region, Minas Gerais, Brazil: evidence for Paleoproterozoic collision and collapse in the Quadrilátero Ferrífero, 90 (1998) 29

Neoproterozoic carbonate sequences of the Una Group, Irecê Basin, Brazil: chemostratigraphy, age and correlations, 89 (1998) 87

A structural transect across the coastal mobile belt in the Brazilian Highlands (latitude 20S): the roots of a Precambrian transpressional orogen, 92 (1998) 251

Brines
Hypersaline fluids in Precambrian deep-crustal metamorphism, 91 (1998) 41

Broken Hill
Evidence for multiple Palaeoproterozoic thermal events and magmatism adjacent to the Broken Hill Pb–Zn–Ag orebody, Australia, 90 (1998) 203

Bryah Group
Structural–metamorphic evolution of the Palaeoproterozoic Bryah and Padbury Groups during the Capricorn orogeny, Western Australia, 90 (1998) 141

C-13/C-12
The carbon and sulfur isotope signatures in the Precambrian–Cambrian transition series of the Yangtze Platform, 89 (1998) 77

Ca. 2950 Ma
Timing and tectonic significance of Late Archaean, sinistral strike-slip deformation in the Central Pilbara Structural Corridor, Pilbara Craton, Western Australia, 88 (1998) 207

Calc-alkaline
3430 to 3417 Ma calc-alkaline volcanism in the McPhee Dome and Kelly Belt, and growth of the eastern Pilbara Craton, 88 (1998) 3

Petrogenesis of late Neoproterozoic dikes in the northern Arabian–Nubian Shield, 92 (1998) 195

Calc-alkaline granite
The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

Calcite cements
Petrogenesis of 1.9 Ga limestones and dolostones and their record of Paleoproterozoic environments, 90 (1998) 187

Canadian Shield
Tectonic, stratigraphic, and geochemical comparisons between ca. 2500–2440 Ma mafic igneous events in the Canadian and Fennoscandian Shields, 92 (1998) 89

Capricorn Orogen
Geology and tectonic evolution of the Palaeoproterozoic Bryah, Padbury and Yerrida Basins (formerly Glengarry Basin), Western Australia: implications for the history of the south-central Capricorn Orogen, 90 (1998) 119

Capricorn Orogeny
Structural–metamorphic evolution of the Palaeoproterozoic Bryah and Padbury Groups during the Capricorn orogeny, Western Australia, 90 (1998) 141

Carbonates
Sm–Nd, Rb–Sr and Pb–Pb dating of silicic carbonates from the early Archaean Barberton Greenstone Belt, South Africa, 92 (1998) 129

Cathodoluminescence
Ion probe zircon dating of metasedimentary units across the Skagerrak: new constraints for early Mesoproterozoic growth of the Baltic Shield, 87 (1998) 117

Central Gneiss Belt
Timing and thermal influence of late orogenic extension in the lower crust: a U–Pb geochronological study from the southwest Grenville orogen, Canada, 89 (1998) 25

Central Ogcheon belt
Neoproterozoic bimodal volcanism in the central Ogcheon belt, Korea: age and tectonic implication, 89 (1998) 47

Chemistry of gneisses
The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309

Chemostratigraphy
Neoproterozoic carbonate sequences of the Una Group, Irecê Basin, Brazil: chemostratigraphy, age and correlations, 89 (1998) 87

Chronostratigraphy
Chronostratigraphic constraints on the genesis of Archean greenstone belts, northwestern Superior Province, Ontario, Canada, 92 (1998) 277

Coastal Mobile Belt
A structural transect across the coastal mobile belt in the Brazilian Highlands (latitude 20S): the roots of a Precambrian transpressional orogen, 92 (1998) 251

Cobalt ores
Age and lead isotope systematics of uranium-enriched cobalt mineralization in the Modum complex, South Norway. Implications for Precambrian crustal evolution in the SW part of the Baltic Shield, 91 (1998) 419

Collision tectonics
Transamazonian Orogeny in the Southern São Francisco Craton Region, Minas Gerais, Brazil: evidence for Paleoproterozoic collision and collapse in the Quadrilátero Ferrífero, 90 (1998) 29

Complex zircon U–Pb ages
The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309

Continental collision
Contrasting mechanism of crustal growth, 92 (1998) 165

Continental crust
Archean crustal evolution of the West African Craton: example of the Amsaga Area (Reguibat Rise). U–Pb and Sm–Nd evidence for crustal growth and recycling, 90 (1998) 107

Age and lead isotope systematics of uranium-enriched cobalt mineralization in the Modum complex, South Norway. Implications for Precambrian crustal evolution in the SW part of the Baltic Shield, 91 (1998) 419

Coronas
Petrology and U–Pb geochronology of mafic, high-pressure, metamorphic coronites from the Tshenukutish domain, eastern Grenville Province, 90 (1998) 59

Correlations
Neoproterozoic carbonate sequences of the Una Group, Irecê Basin, Brazil: chemostratigraphy, age and correlations, 89 (1998) 87

Crust-formation
Crust-forming ages and proterozoic crustal evoluton in Nigeria: a reappraisal of current interpretations, 87 (1998) 65

Crustal evolution
Nd isotope mapping of a cryptic continental suture, Grenville Province of Ontario, 91 (1998) 433

Pb isotope mapping of differentially uplifted Archean basement: a case study from the Grenville Province, Ontario, 91 (1998) 445

Crustal growth
3430 to 3417 Ma calc-alkaline volcanism in the McPhee Dome and Kelly Belt, and growth of the eastern Pilbara Craton, 88 (1998) 3

Contrasting mechanism of crustal growth, 92 (1998) 165

Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both, 91 (1998) 233

Contrasting magmatic arcs in the Palaeoproterozoic of the south-western Baltic Shield, 92 (1998) 297

Cuddapah Basin
Late Palaeoproterozoic (1800–1600 Ma) stromatolites, Cuddapah Basin, southern India: cyanobacterial or other bacterial microfabrics?, 92 (1998) 21

Dating
Sm–Nd, Rb–Sr and Pb–Pb dating of silicic carbonates from the early Archaean Barberton Greenstone Belt, South Africa, 92 (1998) 129

Pitfalls and new approaches in granulite chronometry. An example from the Limpopo Belt, Zimbabwe, 91 (1998) 269

Décollement
Sinking of the Dharwar Basin (South India): implications for Archaean tectonics, 91 (1998) 15

Deformation
Structural–metamorphic evolution of the Palaeoproterozoic Bryah and Padbury Groups during the Capricorn orogeny, Western Australia, 90 (1998) 141

Depleted mantle
Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both, 91 (1998) 233

Detrital zircon
Ion probe zircon dating of metasedimentary units across the Skagerrak: new constraints for early Mesoproterozoic growth of the Baltic Shield, 87 (1998) 117

Detrital zircons
Early Archean crust in the northern Wyoming province. Evidence from U–Pb ages of detrital zircons, 91 (1998) 295

Dyke
Ion microprobe U–Pb ages for Neoproterozoic basaltic magmatism in south-central Australia and implications for the breakup of Rodinia, 87 (1998) 135

(Early) Archaean
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 88 (1998) 25

Early Archaen crust
Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both, 91 (1998) 233

Earth history
Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both, 91 (1998) 233

Elemental fractionation
Isotopic peculiarities of an Archaean pegmatite (Union Mine, Mica, South Africa): Geochemical and geochronological implications, 91 (1998) 253

Emplacement
Brasiliano crustal extension and emplacement fabrics of the mangerite–charnockite pluton of Umarizal, North-east Brazil, 87 (1998) 19

Faults
Fault and stratigraphic controls on volcanogenic massive sulphide deposits in the Strelley Belt, Pilbara Craton, Western Australia, 88 (1998) 67

Fold culmination
Evidence for multiphase deformation in the Archean basal Warrawoona Group in the Marble Bar area, East Pilbara, Western Australia, 88 (1998) 53

Gabbro
Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

Garhwal volcanics
Sm–Nd age of the Garhwal–Bhowali volcanics, western Himalayas: vestiges of the Late Archaean Rampur flood basalt Province of the northern Indian Craton, 87 (1998) 217

Garnet dating
Isotopic peculiarities of an Archaean pegmatite (Union Mine, Mica, South Africa): Geochemical and geochronological implications, 91 (1998) 253

Geochemistry
3430 to 3417 Ma calc-alkaline volcanism in the McPhee Dome and Kelly Belt, and growth of the eastern Pilbara Craton, 88 (1998) 3

Geochemical and Nd isotopic compositions of the metasedimentary rocks in the La Ronge Domain, Trans-Hudson Orogen, Canada: implications for evolution of the domain, 92 (1998) 37

The Red Lake greenstone belt, Superior Province: evidence of plume-related magmatism at 3 Ga and evidence of an older enriched source, 89 (1998) 59

Tectonic, stratigraphic, and geochemical comparisons between ca. 2500–2440 Ma mafic igneous events in the Canadian and Fennoscandian Shields, 92 (1998) 89

The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

Petrogenesis of 1.9 Ga limestones and dolostones and their record of Paleoproterozoic environments, 90 (1998) 187

Contrasting magmatic arcs in the Palaeoproterozoic of the south-western Baltic Shield, 92 (1998) 297

Geochemistry, age and origin of metagreywackes from the Palaeoproterozoic Karrat Group, Rinkian Belt, West Greenland, 91 (1998) 383

Geochronology

Petrogenesis of juvenile-type Birimian (Paleoproterozoic) granitoids in Central Côte-d'Ivoire, West Africa: geochemistry and geochronology, 87 (1998) 33

Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals, 87 (1998) 87

U–Pb zircon and Sm–Nd geochronology of the Mesoproterozoic of North Queensland: implications for a Rodinian connection with the Belt supergroup of North America, 89 (1998) 101

Archean crustal evolution of the West African Craton: example of the Amsaga Area (Reguibat Rise). U–Pb and Sm–Nd evidence for crustal growth and recycling, 90 (1998) 107

The Sholl Shear Zone, West Pilbara: evidence for a domain boundary structure from integrated tectonostratigraphic analyses, SHRIMP U–Pb dating and isotopic and geochemical data of granitoids, 88 (1998) 143

A world in a grain of sand: regional metamorphic history from 40Ar/39Ar laser probe analyses of proterozoic sediments from the Canadian shield, 91 (1998) 287

Geochronological studies of Proterozoic crustal evolution in the northern Outer Hebrides, 91 (1998) 401

Geotectonics

Geotectonics of the Hanson Lake block, Trans-Hudson orogen, central Canada: a preliminary paleomagnetic report, 90 (1998) 85

Glaciation

Late Neoproterozoic stromatolites in glacigenic successions of the Kimberley region, Western Australia: evidence for a younger Marinoan glaciation, 92 (1998) 65

Global cyclicity

The Late Archaean bonanza: metallogenic and environmental consequences of the interaction between mantle plumes, lithospheric tectonics and global cyclicity, 91 (1998) 65

Gold mineralization

Age constraints on gold mineralization and Paleoproterozoic crustal evolution in the Ashanti belt of southern Ghana, 89 (1998) 129

Gondwana Assembly

A structural transect across the coastal mobile belt in the Brazilian Highlands (latitude 20S): the roots of a Precambrian transpressional orogen, 92 (1998) 251

Gothian

Ion probe zircon dating of metasedimentary units across the Skagerrak: new constraints for early Mesoproterozoic growth of the Baltic Shield, 87 (1998) 117

Contrasting magmatic arcs in the Palaeoproterozoic of the south-western Baltic Shield, 92 (1998) 297

Granite

Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

The Mulgandinnah Shear Zone; an Archean crustal scale strike-slip zone, eastern Pilbara, Western Australia, 88 (1998) 233

Granite–greenstone belt

Contrasting mechanism of crustal growth, 92 (1998) 165

Granite-and-greenstone terrains

Archean magmatism and deformation were not products of plate tectonics, 91 (1998) 143

Granites

Oxygen isotope ratios of Archean plutonic zircons from granite–greenstone belts of the Superior Province: indicator of magmatic source, 92 (1998) 365

Granitoids

Petrogenesis of juvenile-type Birimian (Paleoproterozoic) granitoids in Central Côte-d'Ivoire, West Africa: geochemistry and geochronology, 87 (1998) 33

Petrological and geochemical characteristics of a Paleoproterozoic magmatic arc (Narsajuaq terrane, Ungava Orogen, Canada) and comparisons to Superior Province granitoids, 91 (1998) 109

Granulite
U–Pb and Sm–Nd dating of high-pressure granulite- and upper amphibolite facies rocks from SW Sweden, 92 (1998) 319

Granulite facies
Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals, 87 (1998) 87

Granulite Komatiite
Archean crustal evolution of the Aldan Shield, Siberia: geochemical and isotopic constraints, 91 (1998) 333

Granulites
Thermo-tectonic evolution of an Archean accretionary complex: U–Pb geochronological constraints on granulites from the Quetico Subprovince, Ontario, Canada, 92 (1998) 117

Gravity instabilities
Sinking of the Dharwar Basin (South India): implications for Archaean tectonics, 91 (1998) 15

Great Slave Lake
Petrogenesis of 1.9 Ga limestones and dolostones and their record of Paleoproterozoic environments, 90 (1998) 187

Greenstone belt
Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean Coppin Gap greenstone belt, Eastern Pilbara, Western Australia, 88 (1998) 83

Greenstone Belts
Archean magmatism and deformation were not products of plate tectonics, 91 (1998) 143

Tectonic settings of Archaean (3325–2775 Ma) crustal–supracrustal belts in the West Pilbara Block, 88 (1998) 173

Greenstones
Sinking of the Dharwar Basin (South India): implications for Archaean tectonics, 91 (1998) 15

Grenville Province
Timing and thermal influence of late orogenic extension in the lower crust: a U–Pb geochronological study from the southwest Grenville orogen, Canada, 89 (1998) 25

Petrology and U–Pb geochronology of mafic, high-pressure, metamorphic coronites from the Tshenukutish domain, eastern Grenville Province, 90 (1998) 59

Geochronological constraints on the last stages of terrane assembly in the central part of the Grenville Province, 92 (1998) 145

Nd isotope mapping of a cryptic continental suture, Grenville Province of Ontario, 91 (1998) 433

Pb isotope mapping of differentially uplifted Archean basement: a case study from the Grenville Province, Ontario, 91 (1998) 445

Grenvillian orogeny
Hornblende 40Ar/39Ar geochronology across terrane boundaries in the Sveconorwegian Province of S. Norway, 90 (1998) 159

Greywackes
Geochemistry, age and origin of metagreywackes from the Palaeoproterozoic Karrat Group, Rinkian Belt, West Greenland, 91 (1998) 383

Growth structures
Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean Coppin Gap greenstone belt, Eastern Pilbara, Western Australia, 88 (1998) 83

Guiana shield
Contrasting mechanism of crustal growth, 92 (1998) 165

High-pressure
Petrology and U–Pb geochronology of mafic, high-pressure, metamorphic coronites from the Tshenukutish domain, eastern Grenville Province, 90 (1998) 59

High grade metamorphism
Evidence for multiple Palaeoproterozoic thermal events and magmatism adjacent to the Broken Hill Pb–Zn–Ag orebody, Australia, 90 (1998) 203

Igneous activity
Tectonic, stratigraphic, and geochemical comparisons between ca. 2500–2440 Ma mafic igneous events in the Canadian and Fennoscandian Shields, 92 (1998) 89

Igneous petrology
Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

Immature oceanic island-arc
The Cleaverville Group in the West Pilbara Coastal

Granitoid-Greenstone Terrain of Western Australia: an example of a Mid-Archaean immature oceanic island-arc succession, 88 (1998) 109

Inclusions
Pitfalls and new approaches in granulite chronometry. An example from the Limpopo Belt, Zimbabwe, 91 (1998) 269

India
Late Palaeoproterozoic (1800–1600 Ma) stromatolites, Cuddapah Basin, southern India: cyanobacterial or other bacterial microfabrics?, 92 (1998) 21

Intracratonic
Intermittent 1.53–1.13 Ga magmatism in western Baltica; age constraints and correlations within a postulated supercontinent, 92 (1998) 1

Intrusions
Evidence for multiple Palaeoproterozoic thermal events and magmatism adjacent to the Broken Hill Pb–Zn–Ag orebody, Australia, 90 (1998) 203

Ion probe dating
Ion probe zircon dating of metasedimentary units across the Skagerrak: new constraints for early Mesoproterozoic growth of the Baltic Shield, 87 (1998) 117

Isochron
A world in a grain of sand: regional metamorphic history from 40Ar/39Ar laser probe analyses of proterozoic sediments from the Canadian shield, 91 (1998) 287

Isostasy
Metamorphism, denudation and sea level in the Archean and cooling of the Earth, 92 (1998) 389

Isotope geochemistry
Petrogenesis of juvenile-type Birimian (Paleoproterozoic) granitoids in Central Côte-d'Ivoire, West Africa: geochemistry and geochronology, 87 (1998) 33

Isotope resetting
Isotopic peculiarities of an Archaean pegmatite (Union Mine, Mica, South Africa): Geochemical and geochronological implications, 91 (1998) 253

Isotopes
Infilling history of a Neoproterozoic intracratonic basin: Nd isotope provenance studies of the Uinta Mountain Group, Western United States, 87 (1998) 1

The Red Lake greenstone belt, Superior Province: evidence of plume-related magmatism at 3 Ga and evidence of an older enriched source, 89 (1998) 59

Crustal growth and crustal recycling in the Nagssugtoqidian orogen of West Greenland: Constraints from radiogenic isotope systematics and U–Pb zircon geochronology, 91 (1998) 365

Geochemistry, age and origin of metagreywackes from the Palaeoproterozoic Karrat Group, Rinkian Belt, West Greenland, 91 (1998) 383

Isotope stratigraphy
Neoproterozoic carbonate sequences of the Una Group, Irecê Basin, Brazil: chemostratigraphy, age and correlations, 89 (1998) 87

Isotopic closure
Pitfalls and new approaches in granulite chronometry. An example from the Limpopo Belt, Zimbabwe, 91 (1998) 269

Isotopic resetting
Sm–Nd, Rb–Sr and Pb–Pb dating of silicic carbonates from the early Archaean Barberton Greenstone Belt, South Africa, 92 (1998) 129

Jack Hills
The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309

k–Ar
A world in a grain of sand: regional metamorphic history from 40Ar/39Ar laser probe analyses of proterozoic sediments from the Canadian shield, 91 (1998) 287

Kaoko belt
Archaean to Neoproterozoic magmatic events in the Kaoko belt of NW Namibia and their geodynamic significance, 92 (1998) 341

Karelia
Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

Kenoran orogeny
Chronostratigraphic constraints on the genesis of Archean greenstone belts, northwestern Superior Province, Ontario, Canada, 92 (1998) 277

Komatiites
The Red Lake greenstone belt, Superior Province: evidence of plume-related magmatism at 3 Ga and evidence of an older enriched source, 89 (1998) 59

Korea
Neoproterozoic bimodal volcanism in the central Ogcheon belt, Korea: age and tectonic implication, 89 (1998) 47

La Ronge Domain
Geochemical and Nd isotopic compositions of the metasedimentary rocks in the La Ronge Domain, Trans-Hudson Orogen, Canada: implications for evolution of the domain, 92 (1998) 37

Late Archaean flood basalt province
Sm–Nd age of the Garhwal–Bhowali volcanics, western Himalayas: vestiges of the Late Archaean Rampur flood basalt Province of the northern Indian Craton, 87 (1998) 217

Laurentia
An overview of the U–Pb geochronology of the Paleoproterozoic Torngat Orogen, Northeastern Canada, 91 (1998) 91

Laurentia–Baltica
Intermittent 1.53–1.13 Ga magmatism in western Baltica; age constraints and correlations within a postulated supercontinent, 92 (1998) 1

Layered intrusions
Tectonic, stratigraphic, and geochemical comparisons between ca. 2500–2440 Ma mafic igneous events in the Canadian and Fennoscandian Shields, 92 (1998) 89

Lewisian
Geochronological studies of Proterozoic crustal evolution in the northern Outer Hebrides, 91 (1998) 401

Limpopo Belt
Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals, 87 (1998) 87

Lithotectonic complex
Evidence for multiphase deformation in the Archean basal Warrawoona Group in the Marble Bar area, East Pilbara, Western Australia, 88 (1998) 53

Mafic rocks
Petrology and U–Pb geochronology of mafic, high-pressure, metamorphic coronites from the Tshenukutish domain, eastern Grenville Province, 90 (1998) 59

Mafic volcanism
Geology and tectonic evolution of the Palaeoproterozoic Bryah, Padbury and Yerrida Basins (formerly Glengarry Basin), Western Australia: implications for the history of the south-central Capricorn Orogen, 90 (1998) 119

Magmatic arc
Petrological and geochemical characteristics of a Paleoproterozoic magmatic arc (Narsajuaq terrane, Ungava Orogen, Canada) and comparisons to Superior Province granitoids, 91 (1998) 109

Magmatism
The evolution of a layered metaigneous complex in the Rauer Group, East Antarctica: evidence for a distinct Archaean terrane, 89 (1998) 175

Magnetic fabric
Brasiliano crustal extension and emplacement fabrics of the mangerite–charnockite pluton of Umarizal, North-east Brazil, 87 (1998) 19

Mantle plume
Geology and tectonic evolution of the Palaeoproterozoic Bryah, Padbury and Yerrida Basins (formerly Glengarry Basin), Western Australia: implications for the history of the south-central Capricorn Orogen, 90 (1998) 119

Mantle plumes
The Late Archaean bonanza: metallogenic and environmental consequences of the interaction between mantle plumes, lithospheric tectonics and global cyclicity, 91 (1998) 65

Mantle temperature
Metamorphism, denudation and sea level in the Archean and cooling of the Earth, 92 (1998) 389

Marble Bar Greenstone Belt
Evidence for multiphase deformation in the Archean basal Warrawoona Group in the Marble Bar area, East Pilbara, Western Australia, 88 (1998) 53

Meso-Archaean
The Red Lake greenstone belt, Superior Province: evidence of plume-related magmatism at 3 Ga and evidence of an older enriched source, 89 (1998) 59

Mesoproterozoic growth
Ion probe zircon dating of metasedimentary units across the Skagerrak: new constraints for early Mesoproterozoic growth of the Baltic Shield, 87 (1998) 117

Mesoproterozoic magmatism
Intermittent 1.53–1.13 Ga magmatism in western Baltica; age constraints and correlations within a postulated supercontinent, 92 (1998) 1

Metamorphism
Hypersaline fluids in Precambrian deep-crustal metamorphism, 91 (1998) 41

Structural–metamorphic evolution of the Palaeoproterozoic Bryah and Padbury Groups

during the Capricorn orogeny, Western Australia, 90 (1998) 141

The evolution of a layered metaigneous complex in the Rauer Group, East Antarctica: evidence for a distinct Archaean terrane, 89 (1998) 175

Pitfalls and new approaches in granulite chronometry. An example from the Limpopo Belt, Zimbabwe, 91 (1998) 269

Metamorphism, denudation and sea level in the Archean and cooling of the Earth, 92 (1998) 389

Metasedimentary rocks

Geochemical and Nd isotopic compositions of the metasedimentary rocks in the La Ronge Domain, Trans-Hudson Orogen, Canada: implications for evolution of the domain, 92 (1998) 37

Metavolcanic rocks

Neoproterozoic bimodal volcanism in the central Ogcheon belt, Korea: age and tectonic implication, 89 (1998) 47

Microfabric

Late Palaeoproterozoic (1800–1600 Ma) stromatolites, Cuddapah Basin, southern India: cyanobacterial or other bacterial microfabrics?, 92 (1998) 21

Mineralization

Geology and tectonic evolution of the Palaeoproterozoic Bryah, Padbury and Yerrida Basins (formerly Glengarry Basin), Western Australia: implications for the history of the south-central Capricorn Orogen, 90 (1998) 119

Model ages

Crust-forming ages and proterozoic crustal evoluton in Nigeria: a reappraisal of current interpretations, 87 (1998) 65

Nd isotope mapping of a cryptic continental suture, Grenville Province of Ontario, 91 (1998) 433

Namibia

Archaean to Neoproterozoic magmatic events in the Kaoko belt of NW Namibia and their geodynamic significance, 92 (1998) 341

Narryer Gneiss Terrane

The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309

Nd isotopes

The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

Neodymium

Infilling history of a Neoproterozoic intracratonic basin: Nd isotope provenance studies of the Uinta Mountain Group, Western United States, 87 (1998) 1

Nd isotope mapping of a cryptic continental suture, Grenville Province of Ontario, 91 (1998) 433

Neodymium isotopes

Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both, 91 (1998) 233

Neoproterozoic

Late Neoproterozoic stromatolites in glacigenic successions of the Kimberley region, Western Australia: evidence for a younger Marinoan glaciation, 92 (1998) 65

Neoproterozoic carbonate sequences of the Una Group, Irecê Basin, Brazil: chemostratigraphy, age and correlations, 89 (1998) 87

Ion microprobe U–Pb ages for Neoproterozoic basaltic magmatism in south-central Australia and implications for the breakup of Rodinia, 87 (1998) 135

Nigeria

Crust-forming ages and proterozoic crustal evoluton in Nigeria: a reappraisal of current interpretations, 87 (1998) 65

Northern Indian Craton

Sm–Nd age of the Garhwal–Bhowali volcanics, western Himalayas: vestiges of the Late Archaean Rampur flood basalt Province of the northern Indian Craton, 87 (1998) 217

North Pole Chert

Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 88 (1998) 25

Oceanic crust

Metamorphism, denudation and sea level in the Archean and cooling of the Earth, 92 (1998) 389

Origin of TTG gneisses

The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309

Orogenic collapse
Transamazonian Orogeny in the Southern São Francisco Craton Region, Minas Gerais, Brazil: evidence for Paleoproterozoic collision and collapse in the Quadrilátero Ferrífero, 90 (1998) 29

Orogeny
Transamazonian Orogeny in the Southern São Francisco Craton Region, Minas Gerais, Brazil: evidence for Paleoproterozoic collision and collapse in the Quadrilátero Ferrífero, 90 (1998) 29

Oxygen isotopes
Oxygen isotope ratios of Archean plutonic zircons from granite–greenstone belts of the Superior Province: indicator of magmatic source, 92 (1998) 365

Padbury Group
Structural–metamorphic evolution of the Palaeoproterozoic Bryah and Padbury Groups during the Capricorn orogeny, Western Australia, 90 (1998) 141

Palaeoproterozoic
Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals, 87 (1998) 87

Tectonic, stratigraphic, and geochemical comparisons between ca. 2500–2440 Ma mafic igneous events in the Canadian and Fennoscandian Shields, 92 (1998) 89

Structural–metamorphic evolution of the Palaeoproterozoic Bryah and Padbury Groups during the Capricorn orogeny, Western Australia, 90 (1998) 141

Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

Contrasting magmatic arcs in the Palaeoproterozoic of the south-western Baltic Shield, 92 (1998) 297

Geochemistry, age and origin of metagreywackes from the Palaeoproterozoic Karrat Group, Rinkian Belt, West Greenland, 91 (1998) 383

Palaeoproterozoic basins
Geology and tectonic evolution of the Palaeoproterozoic Bryah, Padbury and Yerrida Basins (formerly Glengarry Basin), Western Australia: implications for the history of the south-central Capricorn Orogen, 90 (1998) 119

Paleomagnetism
Geotectonics of the Hanson Lake block, Trans-Hudson orogen, central Canada: a preliminary paleomagnetic report, 90 (1998) 85

Paleoproterozoic
Petrogenesis of juvenile-type Birimian (Paleoproterozoic) granitoids in Central Côte-d'Ivoire, West Africa: geochemistry and geochronology, 87 (1998) 33

Geochemical and Nd isotopic compositions of the metasedimentary rocks in the La Ronge Domain, Trans-Hudson Orogen, Canada: implications for evolution of the domain, 92 (1998) 37

An overview of the U–Pb geochronology of the Paleoproterozoic Torngat Orogen, Northeastern Canada, 91 (1998) 91

Age constraints on gold mineralization and Paleoproterozoic crustal evolution in the Ashanti belt of southern Ghana, 89 (1998) 129

Contrasting mechanism of crustal growth, 92 (1998) 165

Petrogenesis of 1.9 Ga limestones and dolostones and their record of Paleoproterozoic environments, 90 (1998) 187

Paleoproterozoic orogenic belts
Crustal growth and crustal recycling in the Nagssugtoqidian orogen of West Greenland: Constraints from radiogenic isotope systematics and U–Pb zircon geochronology, 91 (1998) 365

Pan-African Orogeny
Petrogenesis of late Neoproterozoic dikes in the northern Arabian–Nubian Shield, 92 (1998) 195

Archaean to Neoproterozoic magmatic events in the Kaoko belt of NW Namibia and their geodynamic significance, 92 (1998) 341

Pan African
Crust-forming ages and proterozoic crustal evoluton in Nigeria: a reappraisal of current interpretations, 87 (1998) 65

Pb-isotopes
Timing of gold mineralization in the Mt York district, Pilgangoora greenstone belt, and implications for the tectonic and metamorphic evolution of an area linking the western and eastern Pilbara Craton, 88 (1998) 249

Pb/Pb
U–Pb and Sm–Nd dating of high-pressure granulite- and upper amphibolite facies rocks from SW Sweden, 92 (1998) 319

Age and lead isotope systematics of uranium-enriched cobalt mineralization in the Modum complex, South Norway. Implications for Precambrian crustal evolution in the SW part of the Baltic Shield, 91 (1998) 419

Pb isotopes
Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals, 87 (1998) 87

The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

Pb isotope mapping of differentially uplifted Archean basement: a case study from the Grenville Province, Ontario, 91 (1998) 445

Pegmatite dykes
Timing and thermal influence of late orogenic extension in the lower crust: a U–Pb geochronological study from the southwest Grenville orogen, Canada, 89 (1998) 25

Petrogenesis
The Red Lake greenstone belt, Superior Province: evidence of plume-related magmatism at 3 Ga and evidence of an older enriched source, 89 (1998) 59

Petrological and geochemical characteristics of a Paleoproterozoic magmatic arc (Narsajuaq terrane, Ungava Orogen, Canada) and comparisons to Superior Province granitoids, 91 (1998) 109

Pilbara
The Sholl Shear Zone, West Pilbara: evidence for a domain boundary structure from integrated tectono-stratigraphic analyses, SHRIMP U–Pb dating and isotopic and geochemical data of granitoids, 88 (1998) 143

Pilbara Block
Evidence for multiphase deformation in the Archean basal Warrawoona Group in the Marble Bar area, East Pilbara, Western Australia, 88 (1998) 53

Tectonic settings of Archaean (3325–2775 Ma) crustal–supracrustal belts in the West Pilbara Block, 88 (1998) 173

Pilbara Craton
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 88 (1998) 25

Fault and stratigraphic controls on volcanogenic massive sulphide deposits in the Strelley Belt, Pilbara Craton, Western Australia, 88 (1998) 67

Timing and tectonic significance of Late Archaean, sinistral strike-slip deformation in the Central Pilbara Structural Corridor, Pilbara Craton, Western Australia, 88 (1998) 207

Pilbara Gold
Timing of gold mineralization in the Mt York district, Pilgangoora greenstone belt, and implications for the tectonic and metamorphic evolution of an area linking the western and eastern Pilbara Craton, 88 (1998) 249

Pilbara, Western Australia
Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean Coppin Gap greenstone belt, Eastern Pilbara, Western Australia, 88 (1998) 83

Polymetamorphic
Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals, 87 (1998) 87

Precambrian
Hypersaline fluids in Precambrian deep-crustal metamorphism, 91 (1998) 41

Precambrian–Cambrian boundary
The carbon and sulfur isotope signatures in the Precambrian–Cambrian transition series of the Yangtze Platform, 89 (1998) 77

Proterozoic
Infilling history of a Neoproterozoic intracratonic basin: Nd isotope provenance studies of the Uinta Mountain Group, Western United States, 87 (1998) 1

Late Palaeoproterozoic (1800–1600 Ma) stromatolites, Cuddapah Basin, southern India: cyanobacterial or other bacterial microfabrics?, 92 (1998) 21

Transamazonian Orogeny in the Southern São Francisco Craton Region, Minas Gerais, Brazil: evidence for Paleoproterozoic collision and collapse in the Quadrilátero Ferrífero, 90 (1998) 29

U–Pb zircon and Sm–Nd geochronology of the Mesoproterozoic of North Queensland: implications for a Rodinian connection with the Belt supergroup of North America, 89 (1998) 101

Provenance
Infilling history of a Neoproterozoic intracratonic basin: Nd isotope provenance studies of the Uinta Mountain Group, Western United States, 87 (1998) 1

Quetico Subprovince
Thermo-tectonic evolution of an Archean accretionary complex: U–Pb geochronological constraints on granulites from the Quetico Subprovince, Ontario, Canada, 92 (1998) 117

Rates
Pitfalls and new approaches in granulite chronometry. An example from the Limpopo Belt, Zimbabwe, 91 (1998) 269

REE patterns
Archean crustal evolution of the Aldan Shield, Siberia: geochemical and isotopic constraints, 91 (1998) 333

Rifting
Intermittent 1.53–1.13 Ga magmatism in western Baltica; age constraints and correlations within a postulated supercontinent, 92 (1998) 1

Rodinia
U–Pb zircon and Sm–Nd geochronology of the Mesoproterozoic of North Queensland: implications for a Rodinian connection with the Belt supergroup of North America, 89 (1998) 101

Ion microprobe U–Pb ages for Neoproterozoic basaltic magmatism in south-central Australia and implications for the breakup of Rodinia, 87 (1998) 135

S-34/S-32
The carbon and sulfur isotope signatures in the Precambrian–Cambrian transition series of the Yangtze Platform, 89 (1998) 77

Samarium
Nd isotope mapping of a cryptic continental suture, Grenville Province of Ontario, 91 (1998) 433

Sedimentary rocks
Infilling history of a Neoproterozoic intracratonic basin: Nd isotope provenance studies of the Uinta Mountain Group, Western United States, 87 (1998) 1

Sedimentation and tectonics
Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 88 (1998) 25

Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean Coppin Gap greenstone belt, Eastern Pilbara, Western Australia, 88 (1998) 83

Sequence stratigraphy
Tectonic settings of Archaean (3325–2775 Ma) crustal–supracrustal belts in the West Pilbara Block, 88 (1998) 173

Shear zone kinematics
Evidence for multiphase deformation in the Archean basal Warrawoona Group in the Marble Bar area, East Pilbara, Western Australia, 88 (1998) 53

Shear zones
Brasiliano crustal extension and emplacement fabrics of the mangerite–charnockite pluton of Umarizal, North-east Brazil, 87 (1998) 19

Geochronological constraints on the last stages of terrane assembly in the central part of the Grenville Province, 92 (1998) 145

Hornblende 40Ar/39Ar geochronology across terrane boundaries in the Sveconorwegian Province of S. Norway, 90 (1998) 159

SHRIMP
Timing of gold mineralization in the Mt York district, Pilgangoora greenstone belt, and implications for the tectonic and metamorphic evolution of an area linking the western and eastern Pilbara Craton, 88 (1998) 249

Geochemistry, age and origin of metagreywackes from the Palaeoproterozoic Karrat Group, Rinkian Belt, West Greenland, 91 (1998) 383

SHRIMP zircon study
The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309

Sinistral transpression
Timing and tectonic significance of Late Archaean, sinistral strike-slip deformation in the Central Pilbara Structural Corridor, Pilbara Craton, Western Australia, 88 (1998) 207

Sm–Nd
U–Pb zircon and Sm–Nd geochronology of the Mesoproterozoic of North Queensland: implications for a Rodinian connection with the Belt supergroup of North America, 89 (1998) 101

Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both, 91 (1998) 233

Sm–Nd age
Sm–Nd age of the Garhwal–Bhowali volcanics, western Himalayas: vestiges of the Late Archaean Rampur flood basalt Province of the northern Indian Craton, 87 (1998) 217

Sm–Nd isotopes
Geochemical and Nd isotopic compositions of the metasedimentary rocks in the La Ronge Domain, Trans-Hudson Orogen, Canada: implications for evolution of the domain, 92 (1998) 37

Sm-Nd dating
Archean crustal evolution of the Aldan Shield, Siberia: geochemical and isotopic constraints, 91 (1998) 333

Sm/Nd
U–Pb and Sm–Nd dating of high-pressure granulite- and upper amphibolite facies rocks from SW Sweden, 92 (1998) 319

Southern Ghana
Age constraints on gold mineralization and Paleoproterozoic crustal evolution in the Ashanti belt of southern Ghana, 89 (1998) 129

Southern Norway
Hornblende 40Ar/39Ar geochronology across terrane boundaries in the Sveconorwegian Province of S. Norway, 90 (1998) 159

South India
Sinking of the Dharwar Basin (South India): implications for Archaean tectonics, 91 (1998) 15

Spurious isochron
Isotopic peculiarities of an Archaean pegmatite (Union Mine, Mica, South Africa): Geochemical and geochronological implications, 91 (1998) 253

Sr isotopes
The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

Stable isotopes
Petrogenesis of 1.9 Ga limestones and dolostones and their record of Paleoproterozoic environments, 90 (1998) 187

Stratigraphy
Fault and stratigraphic controls on volcanogenic massive sulphide deposits in the Strelley Belt, Pilbara Craton, Western Australia, 88 (1998) 67

Strike-slip
The Mulgandinnah Shear Zone; an Archean crustal scale strike-slip zone, eastern Pilbara, Western Australia, 88 (1998) 233

Stromatolite
Late Palaeoproterozoic (1800–1600 Ma) stromatolites, Cuddapah Basin, southern India: cyanobacterial or other bacterial microfabrics?, 92 (1998) 21

Stromatolites
Late Neoproterozoic stromatolites in glacigenic successions of the Kimberley region, Western Australia: evidence for a younger Marinoan glaciation, 92 (1998) 65

Superior Province
Chronostratigraphic constraints on the genesis of Archean greenstone belts, northwestern Superior Province, Ontario, Canada, 92 (1998) 277

Oxygen isotope ratios of Archean plutonic zircons from granite–greenstone belts of the Superior Province: indicator of magmatic source, 92 (1998) 365

Sveconorwegian
Ion probe zircon dating of metasedimentary units across the Skagerrak: new constraints for early Mesoproterozoic growth of the Baltic Shield, 87 (1998) 117

Sweden
U–Pb and Sm–Nd dating of high-pressure granulite- and upper amphibolite facies rocks from SW Sweden, 92 (1998) 319

SW Sweden
Intermittent 1.53–1.13 Ga magmatism in western Baltica; age constraints and correlations within a postulated supercontinent, 92 (1998) 1

Talga Talga Anticline
Evidence for multiphase deformation in the Archean basal Warrawoona Group in the Marble Bar area, East Pilbara, Western Australia, 88 (1998) 53

Tectonic evolution
Geology and tectonic evolution of the Palaeoproterozoic Bryah, Padbury and Yerrida Basins (formerly Glengarry Basin), Western Australia: implications for the history of the south-central Capricorn Orogen, 90 (1998) 119

Tectonics
Tectonic settings of Archaean (3325–2775 Ma) crustal–supracrustal belts in the West Pilbara Block, 88 (1998) 173

Tectonic setting
Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

Terrane
The Sholl Shear Zone, West Pilbara: evidence for a domain boundary structure from integrated tectonostratigraphic analyses, SHRIMP U–Pb dating and isotopic and geochemical data of granitoids, 88 (1998) 143

Terrane assembly
Geochronological constraints on the last stages of terrane assembly in the central part of the Grenville Province, 92 (1998) 145

Terranes
Hornblende 40Ar/39Ar geochronology across terrane boundaries in the Sveconorwegian Province of S. Norway, 90 (1998) 159

Tholeiite
Petrogenesis of late Neoproterozoic dikes in the northern Arabian–Nubian Shield, 92 (1998) 195

Titanite
Timing and thermal influence of late orogenic extension in the lower crust: a U–Pb geochronological study from the southwest Grenville orogen, Canada, 89 (1998) 25

Tonalite
Archean magmatism and deformation were not products of plate tectonics, 91 (1998) 143

Torngat Orogen
An overview of the U–Pb geochronology of the Paleoproterozoic Torngat Orogen, Northeastern Canada, 91 (1998) 91

Trace elements
Infilling history of a Neoproterozoic intracratonic basin: Nd isotope provenance studies of the Uinta Mountain Group, Western United States, 87 (1998) 1

Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223

Trans-Hudson orogen
Geotectonics of the Hanson Lake block, Trans-Hudson orogen, central Canada: a preliminary paleomagnetic report, 90 (1998) 85

Transpression
A structural transect across the coastal mobile belt in the Brazilian Highlands (latitude 20S): the roots of a Precambrian transpressional orogen, 92 (1998) 251

TTG (Tonalite-Trondhjemite-Granodiorite)
Archean crustal evolution of the Aldan Shield, Siberia: geochemical and isotopic constraints, 91 (1998) 333

U–Pb
U–Pb zircon and Sm–Nd geochronology of the Mesoproterozoic of North Queensland: implications for a Rodinian connection with the Belt supergroup of North America, 89 (1998) 101

Chronostratigraphic constraints on the genesis of Archean greenstone belts, northwestern Superior Province, Ontario, Canada, 92 (1998) 277

Early Archean crust in the northern Wyoming province. Evidence from U–Pb ages of detrital zircons, 91 (1998) 295

U–Pb geochronology
Intermittent 1.53–1.13 Ga magmatism in western Baltica; age constraints and correlations within a postulated supercontinent, 92 (1998) 1

Timing and thermal influence of late orogenic extension in the lower crust: a U–Pb geochronological study from the southwest Grenville orogen, Canada, 89 (1998) 25

Petrology and U–Pb geochronology of mafic, high-pressure, metamorphic coronites from the Tshenukutish domain, eastern Grenville Province, 90 (1998) 59

An overview of the U–Pb geochronology of the Paleoproterozoic Torngat Orogen, Northeastern Canada, 91 (1998) 91

Thermo-tectonic evolution of an Archean accretionary complex: U–Pb geochronological constraints on granulites from the Quetico Subprovince, Ontario, Canada, 92 (1998) 117

The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

Geochronological constraints on the last stages of terrane assembly in the central part of the Grenville Province, 92 (1998) 145

U–Pb SHRIMP geochronology
Evidence for multiple Palaeoproterozoic thermal events and magmatism adjacent to the Broken Hill Pb–Zn–Ag orebody, Australia, 90 (1998) 203

U–Pb zircon age
Neoproterozoic bimodal volcanism in the central Ogcheon belt, Korea: age and tectonic implication, 89 (1998) 47

U/Pb
U–Pb and Sm–Nd dating of high-pressure granulite- and upper amphibolite facies rocks from SW Sweden, 92 (1998) 319

U/Pb mineral dating
Age constraints on gold mineralization and Paleoproterozoic crustal evolution in the Ashanti belt of southern Ghana, 89 (1998) 129

Ungava Orogen
Petrological and geochemical characteristics of a Paleoproterozoic magmatic arc (Narsajuaq terrane, Ungava Orogen, Canada) and comparisons to Superior Province granitoids, 91 (1998) 109

Upper mantle
Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both, 91 (1998) 233

Uraninite
Age and lead isotope systematics of uranium-enriched cobalt mineralization in the Modum complex, South Norway. Implications for Precambrian crustal evolution in the SW part of the Baltic Shield, 91 (1998) 419

Volcanics
3430 to 3417 Ma calc-alkaline volcanism in the McPhee Dome and Kelly Belt, and growth of the eastern Pilbara Craton, 88 (1998) 3

Volcanogenic massive sulphides
Fault and stratigraphic controls on volcanogenic massive sulphide deposits in the Strelley Belt, Pilbara Craton, Western Australia, 88 (1998) 67

Volcanosedimentary cycle
The Cleaverville Group in the West Pilbara Coastal Granitoid-Greenstone Terrain of Western Australia: an example of a Mid-Archaean immature oceanic island-arc succession, 88 (1998) 109

Warrawoona Group
Evidence for multiphase deformation in the Archean basal Warrawoona Group in the Marble Bar area, East Pilbara, Western Australia, 88 (1998) 53

West Africa
Petrogenesis of juvenile-type Birimian (Paleoproterozoic) granitoids in Central Côte-d'Ivoire, West Africa: geochemistry and geochronology, 87 (1998) 33

West African craton
Archean crustal evolution of the West African Craton: example of the Amsaga Area (Reguibat Rise). U–Pb and Sm–Nd evidence for crustal growth and recycling, 90 (1998) 107

Age constraints on gold mineralization and Paleoproterozoic crustal evolution in the Ashanti belt of southern Ghana, 89 (1998) 129

Western Australia
Late Neoproterozoic stromatolites in glacigenic successions of the Kimberley region, Western Australia: evidence for a younger Marinoan glaciation, 92 (1998) 65

The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309

West Greenland
Crustal growth and crustal recycling in the Nagssugtoqidian orogen of West Greenland: Constraints from radiogenic isotope systematics and U–Pb zircon geochronology, 91 (1998) 365

Wyoming
The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

Yangtze Platform
The carbon and sulfur isotope signatures in the Precambrian–Cambrian transition series of the Yangtze Platform, 89 (1998) 77

Zircon
Timing and thermal influence of late orogenic extension in the lower crust: a U–Pb geochronological study from the southwest Grenville orogen, Canada, 89 (1998) 25

Ion microprobe U–Pb ages for Neoproterozoic basaltic magmatism in south-central Australia and implications for the breakup of Rodinia, 87 (1998) 135

The evolution of a layered metaigneous complex in the Rauer Group, East Antarctica: evidence for a distinct Archaean terrane, 89 (1998) 175

Oxygen isotope ratios of Archean plutonic zircons from granite–greenstone belts of the Superior Province: indicator of magmatic source, 92 (1998) 365

Zircon ages
Geochemistry, age and origin of metagreywackes from the Palaeoproterozoic Karrat Group, Rinkian Belt, West Greenland, 91 (1998) 383

Zircon geochronology
Archaean to Neoproterozoic magmatic events in the Kaoko belt of NW Namibia and their geodynamic significance, 92 (1998) 341

Zircon U-Pb dating
Archean crustal evolution of the Aldan Shield, Siberia: geochemical and isotopic constraints, 91 (1998) 333

ELSEVIER

Precambrian Research 92 (1998) 431–436

Precambrian Research

Author Index, Volumes 87–92 (1998)

Åhäll, K.-I. and Connelly, J., Intermittent 1.53–1.13 Ga magmatism in western Baltica; age constraints and correlations within a postulated supercontinent, 92 (1998) 1
Åhäll, K.-I., *see* Brewer, T.S., 92 (1998) 297
Åhäll, K.I., Cornell, D.H. and Armstrong, R., Ion probe zircon dating of metasedimentary units across the Skagerrak: new constraints for early Mesoproterozoic growth of the Baltic Shield, 87 (1998) 117
Alapieti, T.T., *see* Vogel, D.C., 92 (1998) 89
Alkmim, F.F. and Marshak, S., Transamazonian Orogeny in the Southern São Francisco Craton Region, Minas Gerais, Brazil: evidence for Paleoproterozoic collision and collapse in the Quadrilátero Ferrífero, 90 (1998) 29
Alkmim, F.F., *see* Cunningham, D., 92 (1998) 251
Amanor, J.A., *see* Oberthür, T., 89 (1998) 129
Andersen, T. and Grorud, H.-F., Age and lead isotope systematics of uranium-enriched cobalt mineralization in the Modum complex, South Norway. Implications for Precambrian crustal evolution in the SW part of the Baltic Shield, 91 (1998) 419
Ansdell, K., *see* Yang, H., 92 (1998) 37
Aranovich, L.Y., *see* Newton, R.C., 91 (1998) 41
Araújo, M.G.S., *see* Archanjo, C.J., 87 (1998) 19
Archanjo, C.J., Macedo, J.W.P., Galindo, A.C. and Araújo, M.G.S., Brasiliano crustal extension and emplacement fabrics of the mangerite–charnockite pluton of Umarizal, North-east Brazil, 87 (1998) 19
Arestova, N.A., *see* Lobach-Zhuchenko, S.B., 92 (1998) 223
Armstrong, R., *see* Åhäll, K.I., 87 (1998) 117
Avchenko, O.V., *see* Frost, B.R., 89 (1998) 1

Bain, J.H.C., *see* Blewett, R.S., 89 (1998) 101
Ball, T.T. and Farmer, G.L., Infilling history of a Neoproterozoic intracratonic basin: Nd isotope provenance studies of the Uinta Mountain Group, Western United States, 87 (1998) 1
Barley, M.E., *see* Neumayr, P., 88 (1998) 249
Barley, M.E., Loader, S.E. and McNaughton, N.J., 3430 to 3417 Ma calc-alkaline volcanism in the McPhee Dome and Kelly Belt, and growth of the eastern Pilbara Craton, 88 (1998) 3
Barley, M.E., *see* Vearncombe, S., 88 (1998) 67
Barley, M.E., *see* Smith, J.B., 88 (1998) 143
Barley, M.E., The tectonic and metallogenic evolution of the Pilbara Craton: preface, 88 (1998) 1
Barley, M.E., Krapez, B., Groves, D.I. and Kerrich, R., The Late Archaean bonanza: metallogenic and environmental consequences of the interaction between mantle plumes, lithospheric tectonics and global cyclicity, 91 (1998) 65
Barton, Jr, J.M., *see* Holzer, L., 87 (1998) 87
Bhat, M.I., Claesson, S., Dubey, A.K. and Pande, K., Sm–Nd age of the Garhwal–Bhowali volcanics, western Himalayas: vestiges of the Late Archaean Rampur flood basalt Province of the northern Indian Craton, 87 (1998) 217
Bickle, M.J., *see* Smith, J.B., 88 (1998) 143
Bingen, B., Boven, A., Punzalan, L., Wijbrans, J.R. and Demaiffe, D., Hornblende 40Ar/39Ar geochronology across terrane boundaries in the Sveconorwegian Province of S. Norway, 90 (1998) 159
Biswal, T.K., Gyani, K.C., Parthasarathy, R. and Pant, D.R., Implications of the geochemistry of the Pelitic Granulites of the Delhi Supergroup, Aravalli Mountain Belt, Northwestern India, 87 (1998) 75
Black, L.P., *see* Harley, S.L., 89 (1998) 175
Black, L.P., *see* Blewett, R.S., 89 (1998) 101
Blewett, R.S., Black, L.P., Sun, S.-s., Knutson, J., Hutton, L.J. and Bain, J.H.C., U–Pb zircon and Sm–Nd geochronology of the Mesoproterozoic of North Queensland: implications for a Rodinian connection with the Belt supergroup of North America, 89 (1998) 101
Bogomolov, E.S., *see* Lobach-Zhuchenko, S.B., 92 (1998) 223
Bouchot, V., *see* Feybesse, J.L., 87 (1998) 161
Boven, A., *see* Bingen, B., 90 (1998) 159

1998 Elsevier Science B.V.
PII S0301-9268(98)00113-2

Brewer, T.S., Daly, J.S. and Åhäll, K.-I., Contrasting magmatic arcs in the Palaeoproterozoic of the south-western Baltic Shield, 92 (1998) 297

Campbell, I.H., *see* Wingate, M.T.D., 87 (1998) 135
Capdevila, R., *see* Jahn, B.-M., 91 (1998) 333
Chamberlain, K.R., *see* Frost, B.R., 89 (1998) 1
Chamberlain, K.R., *see* Frost, C.D., 89 (1998) 145
Chang, H.-W., *see* Lee, K.-S., 89 (1998) 47
Chapman, H.J., *see* Smith, J.B., 88 (1998) 143
Chardon, D., Choukroune, P. and Jayananda, M., Sinking of the Dharwar Basin (South India): implications for Archaean tectonics, 91 (1998) 15
Chekulaev, V.P., *see* Lobach-Zhuchenko, S.B., 92 (1998) 223
Choukroune, P., *see* Chardon, D., 91 (1998) 15
Chu, X., *see* Shen, Y., 89 (1998) 77
Claesson, S., *see* Bhat, M.I., 87 (1998) 217
Clauer, N., *see* Toulkeridis, T., 92 (1998) 129
Cliff, R.A., Rex, D.C. and Guise, P.G., Geochronological studies of Proterozoic crustal evolution in the northern Outer Hebrides, 91 (1998) 401
Cocherie, A., *see* Vanderhaeghe, O., 92 (1998) 165
Collins, W.J., *see* Van Kranendonk, M.J., 88 (1998) 207
Compston, W., *see* Wingate, M.T.D., 87 (1998) 135
Connelly, J., *see* Åhäll, K.-I., 92 (1998) 1
Corfu, F., Davis, D.W., Stone, D. and Moore, M.L., Chronostratigraphic constraints on the genesis of Archean greenstone belts, northwestern Superior Province, Ontario, Canada, 92 (1998) 277
Corkeron, M., *see* Grey, K., 92 (1998) 65
Cornell, D.H., *see* Åhäll, K.I., 87 (1998) 117
Cornichet, J., *see* Jahn, B.-M., 91 (1998) 333
Cox, R.A., Dunning, G.R. and Indares, A., Petrology and U–Pb geochronology of mafic, high-pressure, metamorphic coronites from the Tshenukutish domain, eastern Grenville Province, 90 (1998) 59
Culshaw, N.G., *see* Ketchum, J.W.F., 89 (1998) 25
Cunningham, D., Alkmim, F.F. and Marshak, S., A structural transect across the coastal mobile belt in the Brazilian Highlands (latitude 20S): the roots of a Precambrian transpressional orogen, 92 (1998) 251

Dada, S.S., Crust-forming ages and proterozoic crustal evoluton in Nigeria: a reappraisal of current interpretations, 87 (1998) 65
Daly, J.S., *see* Brewer, T.S., 92 (1998) 297
Davis, D.W., *see* Oberthür, T., 89 (1998) 129
Davis, D.W., *see* Corfu, F., 92 (1998) 277
Davis, D.W., *see* King, E.M., 92 (1998) 365
de Bruijne, K., *see* Nijman, W., 88 (1998) 25
de Keijzer, M., *see* Zegers, T.E., 88 (1998) 233
de Wit, M.J., On Archean granites, greenstones, cratons and tectonics: does the evidence demand a verdict?, 91 (1998) 181
Delor, C., *see* Doumbia, S., 87 (1998) 33
Demaiffe, D., *see* Bingen, B., 90 (1998) 159
Dickin, A.P., Pb isotope mapping of differentially uplifted Archean basement: a case study from the Grenville Province, Ontario, 91 (1998) 445
Dickin, A.P., Nd isotope mapping of a cryptic continental suture, Grenville Province of Ontario, 91 (1998) 433
Doumbia, S., Pouclet, A., Kouamelan, A., Peucat, J.J., Vidal, M. and Delor, C., Petrogenesis of juvenile-type Birimian (Paleoproterozoic) granitoids in Central Côte-d'Ivoire, West Africa: geochemistry and geochronology, 87 (1998) 33
Dubey, A.K., *see* Bhat, M.I., 87 (1998) 217
Dunning, G.R., *see* Cox, R.A., 90 (1998) 59
Dunphy, J.M. and Ludden, J.N., Petrological and geochemical characteristics of a Paleoproterozoic magmatic arc (Narsajuaq terrane, Ungava Orogen, Canada) and comparisons to Superior Province granitoids, 91 (1998) 109

Edwards, G.R., *see* King, E.M., 92 (1998) 365
Egal, E., *see* Vanderhaeghe, O., 92 (1998) 165
Ehlers, K., *see* Nutman, A.P., 90 (1998) 203
Eisenlohr, B., *see* Krapez, B., 88 (1998) 173
Evensen, N.M., *see* Hu, Q., 91 (1998) 287

Fanning, C.M., *see* Potrel, A., 90 (1998) 107
Farmer, G.L., *see* Ball, T.T., 87 (1998) 1
Feybesse, J.L., Johan, V., Triboulet, C., Guerrot, C., Mayaga-Mikolo, F., Bouchot, V. and N'dong, J.E., The West Central African belt: a model of 2.5–2.0 Ga accretion and two-phase orogenic evolution, 87 (1998) 161
Fleet, M.E., *see* Pan, Y., 92 (1998) 117
Frank, W., *see* Frimmel, H.E., 90 (1998) 1
Frei, R., *see* Holzer, L., 87 (1998) 87
Frei, R., *see* Kamber, B.S., 91 (1998) 269
Friedman, R., *see* Martignole, J., 92 (1998) 145
Friend, C.R.L., *see* Whitehouse, M.J., 91 (1998) 229
Frimmel, H.E. and Frank, W., Neoproterozoic tectonothermal evolution of the Gariep Belt and its basement, Namibia and South Africa, 90 (1998) 1
Frost, B.R., Avchenko, O.V., Chamberlain, K.R. and Frost, C.D., Evidence for extensive Proterozoic remobilization of the Aldan shield and implications for Proterozoic plate tectonic reconstructions of Siberia and Laurentia, 89 (1998) 1
Frost, B.R., *see* Frost, C.D., 89 (1998) 145
Frost, C.D., *see* Frost, B.R., 89 (1998) 1
Frost, C.D., Frost, B.R., Chamberlain, K.R. and Hulsebosch, T.P., The Late Archean history of the Wyoming province as recorded by granitic magmatism in the Wind River Range, Wyoming, 89 (1998) 145

Fyfe, W.S., Energy flow and geosphere interactions archaean to the present: the foundation of the global resource base, 91 (1998) 5

Gala, M.G., Symons, D.T.A. and Palmer, H.C., Geotectonics of the Hanson Lake block, Trans-Hudson orogen, central Canada: a preliminary paleomagnetic report, 90 (1998) 85
Galer, S.J.G. and Mezger, K., Metamorphism, denudation and sea level in the Archean and cooling of the Earth, 92 (1998) 389
Galindo, A.C., *see* Archanjo, C.J., 87 (1998) 19
Gibb, A.J., *see* Kamber, B.S., 91 (1998) 269
Gibson, G.M., *see* Wingate, M.T.D., 87 (1998) 135
Goldstein, S.L., *see* Toulkeridis, T., 92 (1998) 129
Grey, K. and Corkeron, M., Late Neoproterozoic stromatolites in glacigenic successions of the Kimberley region, Western Australia: evidence for a younger Marinoan glaciation, 92 (1998) 65
Grorud, H.-F., *see* Andersen, T., 91 (1998) 419
Groves, D.I., *see* Smith, J.B., 88 (1998) 143
Groves, D.I., *see* Neumayr, P., 88 (1998) 249
Groves, D.I., *see* Barley, M.E., 91 (1998) 65
Gruau, G., *see* Jahn, B.-M., 91 (1998) 333
Guerrot, C., *see* Feybesse, J.L., 87 (1998) 161
Guise, P.G., *see* Cliff, R.A., 91 (1998) 401
Gyani, K.C., *see* Biswal, T.K., 87 (1998) 75

Hall, R.P., *see* Tomlinson, K.Y., 89 (1998) 59
Hamilton, W.B., Archean magmatism and deformation were not products of plate tectonics, 91 (1998) 143
Hansen, E.C., *see* Newton, R.C., 91 (1998) 41
Harley, S.L., Snape, I. and Black, L.P., The evolution of a layered metaigneous complex in the Rauer Group, East Antarctica: evidence for a distinct Archaean terrane, 89 (1998) 175
Harris, P.D., *see* Kruger, F.J., 91 (1998) 253
Heaman, L., *see* Pan, Y., 92 (1998) 117
Heaman, L.M., *see* Ketchum, J.W.F., 89 (1998) 25
Henry, P., *see* Tomlinson, K.Y., 89 (1998) 59
Holzer, L., Frei, R., Barton Jr, J.M. and Kramers, J.D., Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals, 87 (1998) 87
Hu, Q., Evensen, N.M., Smith, P.E. and York, D., A world in a grain of sand: regional metamorphic history from 40Ar/39Ar laser probe analyses of proterozoic sediments from the Canadian shield, 91 (1998) 287
Hughes, D.J., *see* Tomlinson, K.Y., 89 (1998) 59
Hulsebosch, T.P., *see* Frost, C.D., 89 (1998) 145
Hutton, L.J., *see* Blewett, R.S., 89 (1998) 101

Indares, A., *see* Cox, R.A., 90 (1998) 59

Jahn, B.-M., Gruau, G., Capdevila, R., Cornichet, J., Nemchin, A., Pidgeon, R. and Rudnik, V.A., Archean crustal evolution of the Aldan Shield, Siberia: geochemical and isotopic constraints, 91 (1998) 333
James, N.P., *see* Whittaker, S.G., 90 (1998) 187
James, R.S., *see* Vogel, D.C., 92 (1998) 89
Jamieson, R.A., *see* Ketchum, J.W.F., 89 (1998) 25
Jayananda, M., *see* Chardon, D., 91 (1998) 15
Johan, V., *see* Feybesse, J.L., 87 (1998) 161
Johansson, L., *see* Wang, X.-D., 92 (1998) 319

Kalsbeek, F., Pulvertaft, T.C.R. and Nutman, A.P., Geochemistry, age and origin of metagreywackes from the Palaeoproterozoic Karrat Group, Rinkian Belt, West Greenland, 91 (1998) 383
Kalsbeek, F., *see* Whitehouse, M.J., 91 (1998) 365
Kamber, B.S., Frei, R. and Gibb, A.J., Pitfalls and new approaches in granulite chronometry. An example from the Limpopo Belt, Zimbabwe, 91 (1998) 269
Kamber, B.S., *see* Kruger, F.J., 91 (1998) 253
Kerrich, R., *see* Barley, M.E., 91 (1998) 65
Kessel, R., Stein, M. and Navon, O., Petrogenesis of late Neoproterozoic dikes in the northern Arabian–Nubian Shield, 92 (1998) 195
Ketchum, J.W.F., Heaman, L.M., Krogh, T.E., Culshaw, N.G. and Jamieson, R.A., Timing and thermal influence of late orogenic extension in the lower crust: a U–Pb geochronological study from the southwest Grenville orogen, Canada, 89 (1998) 25
King, E.M., Valley, J.W., Davis, D.W. and Edwards, G.R., Oxygen isotope ratios of Archean plutonic zircons from granite–greenstone belts of the Superior Province: indicator of magmatic source, 92 (1998) 365
Kinny, P.D., *see* Neumayr, P., 88 (1998) 249
Kiyokawa, S. and Taira, A., The Cleaverville Group in the West Pilbara Coastal Granitoid-Greenstone Terrain of Western Australia: an example of a Mid-Archaean immature oceanic island-arc succession, 88 (1998) 109
Knutson, J., *see* Blewett, R.S., 89 (1998) 101
Kouamelan, A., *see* Doumbia, S., 87 (1998) 33
Kramers, J.D., *see* Holzer, L., 87 (1998) 87
Kramers, J.D., *see* Nägler, T.F., 91 (1998) 233
Krapez, B., *see* Smith, J.B., 88 (1998) 143
Krapez, B. and Eisenlohr, B., Tectonic settings of Archaean (3325–2775 Ma) crustal–supracrustal belts in the West Pilbara Block, 88 (1998) 173
Krapez, B., *see* Barley, M.E., 91 (1998) 65
Krikke, A., *see* Nijman, W., 88 (1998) 83
Krogh, T.E., *see* Ketchum, J.W.F., 89 (1998) 25
Kröner, A., *see* Toulkeridis, T., 92 (1998) 129
Kröner, A., *see* Seth, B., 92 (1998) 341
Kruger, F.J., Kamber, B.S. and Harris, P.D., Isotopic peculiarities of an Archaean pegmatite (Union

Mine, Mica, South Africa): Geochemical and geochronological implications, 91 (1998) 253
Krylov, I.N., *see* Lobach-Zhuchenko, S.B., 92 (1998) 223
Kyser, K., *see* Yang, H., 92 (1998) 37
Kyser, T.K., *see* Whittaker, S.G., 90 (1998) 187

Ledru, P., *see* Vanderhaeghe, O., 92 (1998) 165
Lee, K.-S., Chang, H.-W. and Park, K.-H., Neoproterozoic bimodal volcanism in the central Ogcheon belt, Korea: age and tectonic implication, 89 (1998) 47
Lei, J., *see* Shen, Y., 89 (1998) 77
Levsky, L.K., *see* Lobach-Zhuchenko, S.B., 92 (1998) 223
Lindh, A., *see* Wang, X.-D., 92 (1998) 319
Loader, S.E., *see* Barley, M.E., 88 (1998) 3
Lobach-Zhuchenko, S.B., Arestova, N.A., Chekulaev, V.P., Levsky, L.K., Bogomolov, E.S. and Krylov, I.N., Geochemistry and petrology of 2.40–2.45 Ga magmatic rocks in the north-western Belomorian Belt, Fennoscandian Shield, Russia, 92 (1998) 223
Ludden, J.N., *see* Dunphy, J.M., 91 (1998) 109

Macedo, J.W.P., *see* Archanjo, C.J., 87 (1998) 19
Marshak, S., *see* Alkmim, F.F., 90 (1998) 29
Marshak, S., *see* Cunningham, D., 92 (1998) 251
Martignole, J. and Friedman, R., Geochronological constraints on the last stages of terrane assembly in the central part of the Grenville Province, 92 (1998) 145
Mayaga-Mikolo, F., *see* Feybesse, J.L., 87 (1998) 161
McNaughton, N.J., *see* Smith, J.B., 88 (1998) 143
McNaughton, N.J., *see* Neumayr, P., 88 (1998) 249
McNaughton, N.J., *see* Barley, M.E., 88 (1998) 3
Melezhik, V.A. and Sturt, B.A., Discussion. The early Proterozoic Pechenga–Varzuga Belt: a case of Precambrian back-arc spreading by Evgenii V. Sharkov and Valery F. Smolkin (1997) *Precambrian Research* 82, 133–151: Comments, 92 (1998) 215
Mezger, K., *see* Galer, S.J.G., 92 (1998) 389
Mezger, K., *see* Seth, B., 92 (1998) 341
Milési, J.-P., *see* Vanderhaeghe, O., 92 (1998) 165
Misi, A. and Veizer, J., Neoproterozoic carbonate sequences of the Una Group, Irecê Basin, Brazil: chemostratigraphy, age and correlations, 89 (1998) 87
Mogk, D.W., *see* Mueller, P.A., 91 (1998) 295
Moore, M.L., *see* Corfu, F., 92 (1998) 277
Mueller, P.A., Wooden, J.L., Nutman, A.P. and Mogk, D.W., Early Archean crust in the northern Wyoming province. Evidence from U–Pb ages of detrital zircons, 91 (1998) 295

N'dong, J.E., *see* Feybesse, J.L., 87 (1998) 161
Nägler, T.F. and Kramers, J.D., Nd isotopic evolution of the upper mantle during the Precambrian: models, data and the uncertainty of both, 91 (1998) 233
Navon, O., *see* Kessel, R., 92 (1998) 195
Nemchin, A., *see* Jahn, B.-M., 91 (1998) 333
Nemchin, A.A., *see* Seth, B., 92 (1998) 341
Neumayr, P., Ridley, J.R., McNaughton, N.J., Kinny, P.D., Barley, M.E. and Groves, D.I., Timing of gold mineralization in the Mt York district, Pilgangoora greenstone belt, and implications for the tectonic and metamorphic evolution of an area linking the western and eastern Pilbara Craton, 88 (1998) 249
Newton, R.C., Aranovich, L.Y., Hansen, E.C. and Vandenheuvel, B.A., Hypersaline fluids in Precambrian deep-crustal metamorphism, 91 (1998) 41
Nijman, W., de Bruijne, K. and Valkering, M.E., Growth fault control of Early Archaean cherts, barite mounds and chert-barite veins, North Pole Dome, Eastern Pilbara, Western Australia, 88 (1998) 25
Nijman, W., Willigers, B.J.A. and Krikke, A., Tensile and compressive growth structures: relationships between sedimentation, deformation and granite intrusion in the Archaean Coppin Gap greenstone belt, Eastern Pilbara, Western Australia, 88 (1998) 83
Nutman, A.P. and Ehlers, K., Evidence for multiple Palaeoproterozoic thermal events and magmatism adjacent to the Broken Hill Pb–Zn–Ag orebody, Australia, 90 (1998) 203
Nutman, A.P., *see* Kalsbeek, F., 91 (1998) 383
Nutman, A.P., *see* Whitehouse, M.J., 91 (1998) 365
Nutman, A.P., *see* Mueller, P.A., 91 (1998) 295

Oberthür, T., Vetter, U., Davis, D.W. and Amanor, J.A., Age constraints on gold mineralization and Paleoproterozoic crustal evolution in the Ashanti belt of southern Ghana, 89 (1998) 129
Occhipinti, S.A., Swager, C.P. and Pirajno, F., Structural–metamorphic evolution of the Palaeoproterozoic Bryah and Padbury Groups during the Capricorn orogeny, Western Australia, 90 (1998) 141
Occhipinti, S.A., *see* Pirajno, F., 90 (1998) 119
Okrusch, M., *see* Seth, B., 92 (1998) 341

Palmer, H.C., *see* Gala, M.G., 90 (1998) 85
Pan, Y., Fleet, M.E. and Heaman, L., Thermo-tectonic evolution of an Archean accretionary complex: U–Pb geochronological constraints on granulites from the Quetico Subprovince, Ontario, Canada, 92 (1998) 117
Pande, K., *see* Bhat, M.I., 87 (1998) 217
Pant, D.R., *see* Biswal, T.K., 87 (1998) 75
Park, K.-H., *see* Lee, K.-S., 89 (1998) 47
Parthasarathy, R., *see* Biswal, T.K., 87 (1998) 75
Passchier, C.W., *see* Zegers, T.E., 88 (1998) 233

Peucat, J.J., *see* Doumbia, S., 87 (1998) 33
Peucat, J.J., *see* Potrel, A., 90 (1998) 107
Pidgeon, R., *see* Jahn, B.-M., 91 (1998) 333
Pidgeon, R.T. and Wilde, S.A., The interpretation of complex zircon U–Pb systems in Archaean granitoids and gneisses from the Jack Hills, Narryer Gneiss Terrane, Western Australia, 91 (1998) 309
Pidgeon, R.T., *see* Seth, B., 92 (1998) 341
Pirajno, F., *see* Occhipinti, S.A., 90 (1998) 141
Pirajno, F., Occhipinti, S.A. and Swager, C.P., Geology and tectonic evolution of the Palaeoproterozoic Bryah, Padbury and Yerrida Basins (formerly Glengarry Basin), Western Australia: implications for the history of the south-central Capricorn Orogen, 90 (1998) 119
Potrel, A., Peucat, J.J. and Fanning, C.M., Archean crustal evolution of the West African Craton: example of the Amsaga Area (Reguibat Rise). U–Pb and Sm–Nd evidence for crustal growth and recycling, 90 (1998) 107
Pouclet, A., *see* Doumbia, S., 87 (1998) 33
Pulvertaft, T.C.R., *see* Kalsbeek, F., 91 (1998) 383
Punzalan, L., *see* Bingen, B., 90 (1998) 159

Rex, D.C., *see* Cliff, R.A., 91 (1998) 401
Riding, R. and Sharma, M., Late Palaeoproterozoic (1800–1600 Ma) stromatolites, Cuddapah Basin, southern India: cyanobacterial or other bacterial microfabrics?, 92 (1998) 21
Ridley, J.R., *see* Neumayr, P., 88 (1998) 249
Rudnik, V.A., *see* Jahn, B.-M., 91 (1998) 333

Sami, T.T., *see* Whittaker, S.G., 90 (1998) 187
Schidlowski, M., *see* Toulkeridis, T., 92 (1998) 129
Scott, D.J., An overview of the U–Pb geochronology of the Paleoproterozoic Torngat Orogen, Northeastern Canada, 91 (1998) 91
Seth, B., Kröner, A., Mezger, K., Nemchin, A.A., Pidgeon, R.T. and Okrusch, M., Archaean to Neoproterozoic magmatic events in the Kaoko belt of NW Namibia and their geodynamic significance, 92 (1998) 341
Sharkov, E.V. and Smolkin, V.V., Reply, 92 (1998) 219
Sharma, M., *see* Riding, R., 92 (1998) 21
Shen, Y., Zhao, R., Chu, X. and Lei, J., The carbon and sulfur isotope signatures in the Precambrian–Cambrian transition series of the Yangtze Platform, 89 (1998) 77
Smith, J.B., Barley, M.E., Groves, D.I., Krapez, B., McNaughton, N.J., Bickle, M.J. and Chapman, H.J., The Sholl Shear Zone, West Pilbara: evidence for a domain boundary structure from integrated tectonostratigraphic analyses, SHRIMP U–Pb dating and isotopic and geochemical data of granitoids, 88 (1998) 143
Smith, P.E., *see* Hu, Q., 91 (1998) 287
Smolkin, V.V., *see* Sharkov, E.V., 92 (1998) 219
Snape, I., *see* Harley, S.L., 89 (1998) 175
Söderlund, U., *see* Wang, X.-D., 92 (1998) 319
Stein, M., *see* Kessel, R., 92 (1998) 195
Stevenson, R.K., *see* Tomlinson, K.Y., 89 (1998) 59
Stone, D., *see* Corfu, F., 92 (1998) 277
Sturt, B.A., *see* Melezhik, V.A., 92 (1998) 215
Sun, S.-s., *see* Blewett, R.S., 89 (1998) 101
Swager, C.P., *see* Occhipinti, S.A., 90 (1998) 141
Swager, C.P., *see* Pirajno, F., 90 (1998) 119
Symons, D.T.A., *see* Gala, M.G., 90 (1998) 85

Taira, A., *see* Kiyokawa, S., 88 (1998) 109
Tegyey, M., *see* Vanderhaeghe, O., 92 (1998) 165
Thiéblemont, D., *see* Vanderhaeghe, O., 92 (1998) 165
Thurston, P.C., *see* Tomlinson, K.Y., 89 (1998) 59
Todt, W., *see* Toulkeridis, T., 92 (1998) 129
Tomlinson, K.Y., Stevenson, R.K., Hughes, D.J., Hall, R.P., Thurston, P.C. and Henry, P., The Red Lake greenstone belt, Superior Province: evidence of plume-related magmatism at 3 Ga and evidence of an older enriched source, 89 (1998) 59
Toulkeridis, T., Goldstein, S.L., Clauer, N., Kröner, A., Todt, W. and Schidlowski, M., Sm–Nd, Rb–Sr and Pb–Pb dating of silicic carbonates from the early Archaean Barberton Greenstone Belt, South Africa, 92 (1998) 129
Triboulet, C., *see* Feybesse, J.L., 87 (1998) 161

Valkering, M.E., *see* Nijman, W., 88 (1998) 25
Valley, J.W., *see* King, E.M., 92 (1998) 365
van Haaften, W.M. and White, S.H., Evidence for multiphase deformation in the Archean basal Warrawoona Group in the Marble Bar area, East Pilbara, Western Australia, 88 (1998) 53
Van Kranendonk, M.J. and Collins, W.J., Timing and tectonic significance of Late Archaean, sinistral strike-slip deformation in the Central Pilbara Structural Corridor, Pilbara Craton, Western Australia, 88 (1998) 207
Vandenheuvel, B.A., *see* Newton, R.C., 91 (1998) 41
Vanderhaeghe, O., Ledru, P., Thiéblemont, D., Egal, E., Cocherie, A., Tegyey, M. and Milési, J.-P., Contrasting mechanism of crustal growth, 92 (1998) 165
Vearncombe, J.R., *see* Vearncombe, S., 88 (1998) 67
Vearncombe, S., Vearncombe, J.R. and Barley, M.E., Fault and stratigraphic controls on volcanogenic massive sulphide deposits in the Strelley Belt, Pilbara Craton, Western Australia, 88 (1998) 67
Veizer, J., *see* Misi, A., 89 (1998) 87
Vetter, U., *see* Oberthür, T., 89 (1998) 129
Vidal, M., *see* Doumbia, S., 87 (1998) 33
Vogel, D.C., Vuollo, J.I., Alapieti, T.T. and James, R.S., Tectonic, stratigraphic, and geochemical comparisons between ca. 2500–2440 Ma mafic igneous

events in the Canadian and Fennoscandian Shields, 92 (1998) 89
Vuollo, J.I., *see* Vogel, D.C., 92 (1998) 89

Wang, X.-D., Söderlund, U., Lindh, A. and Johansson, L., U–Pb and Sm–Nd dating of high-pressure granulite- and upper amphibolite facies rocks from SW Sweden, 92 (1998) 319
White, S.H., *see* Zegers, T.E., 88 (1998) 233
White, S.H., *see* van Haaften, W.M., 88 (1998) 53
Whitehouse, M.J., Kalsbeek, F. and Nutman, A.P., Crustal growth and crustal recycling in the Nagssugtoqidian orogen of West Greenland: Constraints from radiogenic isotope systematics and U–Pb zircon geochronology, 91 (1998) 365
Whitehouse, M.J. and Friend, C.R.L., Professor Stephen Moorbath, F.R.S. – a retirement tribute, 91 (1998) 229
Whittaker, S.G., Sami, T.T., Kyser, T.K. and James, N.P., Petrogenesis of 1.9 Ga limestones and dolostones and their record of Paleoproterozoic environments, 90 (1998) 187
Wijbrans, J.R., *see* Bingen, B., 90 (1998) 159
Wilde, S.A., *see* Pidgeon, R.T., 91 (1998) 309
Willigers, B.J.A., *see* Nijman, W., 88 (1998) 83
Wingate, M.T.D., Campbell, I.H., Compston, W. and Gibson, G.M., Ion microprobe U–Pb ages for Neoproterozoic basaltic magmatism in south-central Australia and implications for the breakup of Rodinia, 87 (1998) 135
Wooden, J.L., *see* Mueller, P.A., 91 (1998) 295

Yang, H., Kyser, K. and Ansdell, K., Geochemical and Nd isotopic compositions of the metasedimentary rocks in the La Ronge Domain, Trans-Hudson Orogen, Canada: implications for evolution of the domain, 92 (1998) 37
York, D., *see* Hu, Q., 91 (1998) 287

Zegers, T.E., de Keijzer, M., Passchier, C.W. and White, S.H., The Mulgandinnah Shear Zone; an Archean crustal scale strike-slip zone, eastern Pilbara, Western Australia, 88 (1998) 233
Zhao, R., *see* Shen, Y., 89 (1998) 77

UMI

INCORRECT DATE. SHOULD READ 1998.